

RCS Z-Wave Thermostat Kit Installation Guide



HomeSeer®

HomeSeer Technologies LLC

109 Powder Hill Rd

Bedford NH, 03110

www.HomeSeer.com

Description

Thank for your purchase of this RCS Z-Wave Thermostat!
Installation and use of this high quality thermostat is easy.

Requirements

In order to use this thermostat with HomeSeer you must have the following items:

- HomeSeer version 2.0.0 or later
- HomeSeer Z-Wave USB Interface
- Any Z-Wave remote control

Installation

Refer to the RCS installation guide to install the thermostat.
To add the thermostat to HomeSeer, follow this procedure:

- 1) Make sure you are using HomeSeer version 2.0.0 or later. Earlier versions of HomeSeer will not support this thermostat. To obtain the latest version of HomeSeer, select "Updates" from your HomeSeer "Help" menu. Follow the prompts until you see a list of updates, then select the latest version of HomeSeer. Click the "Install" button to install it.
- 2) Add the thermostat to your Z-Wave system by adding it to your master remote control. When adding the thermostat to the HomePro remote, the display may say "unsupported device Incl", this is OK. The thermostat is now added to your system.
- 3) Select "Manage" from the "Interfaces" page in Setup. Click the "Learn Devices" button to copy device information from your remote to the HomeSeer USB Interface.

Support

For support:

Help Desk: www.HomeSeer.com (select *HelpDesk* from the *Support* menu)

Support is also available on our message board at:

<http://board.HomeSeer.com>

Look for the forum dedicated to Z-Wave or Thermostats.

RCS Z-Wave Thermostat Installation Guide
